

TOW300



Features & Benefits

MasterTow TOW300



TOW300

MasterTow

The new TOW300 is perfect for safely towing loads up to 6,600 lbs.

Battery



- Interchangeable
- Maintenance-free
- Battery monitoring system

Strong



- FEA tested steel chassis
- Impact resistant headset
- Zinc coated steel couplings

Powerful



- Optional switchable steering mode
- Up to 6,600 lbs. load capacity
- 0.8kW drive motor

Safety



- Anti-crush button
- Automatic tiller cut off
- Emergency stop button

Traction



- Internal weight packs
- Optimized size, puncture-proof wheels
- Controlled start acceleration

Technical data

MasterTow TOW300

Identification

Recommended load weight- Castors	6600 lb
Recommended load weight- Rails	26000 lb
Machine weight including battery	827 lb
Drive type	Electric DC
Drive motor power	0.8 kW
Drive wheel type	Non-marking, puncture proof rubber
Parking brake	Eletromagnetic
Braking	Regenerative
Controller type	DC
Variable machine speed	0.1 km/h - 5 km/h
IP rating for the machine	IP44

Battery options

- Battery pack - sealed - 73Ah 24V - interchangeable
- Battery pack - lithium - 79Ah 24V - fixed

Optional extras

- Option - flashing safety light and motion bleeper
- Option - machine crawl coupling assist
- Option - steer mode switch
- Option - fifth wheel
- Option - wireless control handset
- Option - two speed selector switch
- Option - battery protection system

Male coupling

- Coupling - male - pin
- Coupling - male - height adjustable tow ball - 50mm
- Coupling - male - adjustable towing arm
- Coupling - male - height adjustable box - small - horizontal

Female coupling

- Coupling - female - height adjustable box - small - horizont

Coupling options

MasterTow TOW300

Z49-00600

Coupling - male - pin



Z49-00601

Coupling - male - height adjustable tow ball - 50mm




Z49-00603

Coupling - male - height adjustable box - small - hori...



Z49-00602

Coupling - male - adjustable towing arm



Z49-00700

Coupling - female - height adjustable box - small - h...



Machine options

MasterTow

Z49-00501

Option - machine crawl coupling assist



Z49-00502

Option - steer mode switch



Z49-00503

Option - fifth wheel



Find out more

Contact us today to find out which electric tug from MasterMover can help to improve efficiency and safety in your workplace.



For service and support please contact:

Nutting Carts
450 Pheasant Ridge Dr
Watertown, 57201, United States