## **Safety Data Sheet**

## **Section 1: Identification**

GHS Product Identifier Level 1 Hand Sanitizer

Product Name LEVEL 1 Hand Sanitizer GEL

Product Type Finished Product- Consumer (Retail) Use Only

**Product Code** 

Details of the supplier of the safety data

sheet

Manufacturer CMC: Continental Manufacturing Chemist, Inc.

1501 Blue Sky Blvd Huxley, Iowa 50124 www.cmchemist.com

1-515-795-2000 Contact: Bruce A. Gartin

**Emergency telephone number** 

Chemtrec 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use Hand Sanitizer GEL

Restrictions on use This is a personal care or cosmetic product that is

safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the

information provided on the package or

instruction sheet.

## **Section 2: Hazard Identification**

## **GHS Classification**

Flammable liquids

Category 3

Eye Irritation

Category 2A

## **GHS label elements**

Hazard pictograms





Signal Word: Warning

**Precautionary Statements:** 

## **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

## Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

## **Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other Hazards

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use.

## None known

Section 3: Composition/Information on Ingredients					
Chemical Name	Identifiers – CAS #	%(weight)	Comments		
DI Water	CAS NO 7732-18-5	29.025			
Glycerol	CAS NO 56-81-5	3.0%			
Carbomer	Mixture	0.1900%			
sda 40b 190	CAS NO 64-17-5	67.3%	Mixture		
Isopropyl Myristate	CAS NO 110-27-0	0.2200%			
Triethanolamine	CAS NO 102-71-6	0.1600%			

## **Section 4: First-Aid Measures**

**General advice**: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical Health Hazard

**If inhaled:** If inhaled remove to fresh air. Get medical attention if symptoms occur

**In case of skin contact**: Wash with water and soap as a precaution. Get medical attention if symptoms occur.

## **Section 5: Fire-Fighting Measures**

Suitable extinguishing media: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2) water jet Specific

Unsuitable extinguishing media High Volume water jet

**Specific hazards during firefighting**: Do not use a solid water stream as it may

scatter and spread fire.

Flash back possible over considerable distance.

Vapors may form explosive mixtures with air

Hazardous combustion products: Carbon oxides

Silicon oxides

**Specific extinguishing methods**: Use extinguishing measures that are appropriate to

local circumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is

safe to do so.

Evacuate area.

Special protective equipment for fire-fighters: In the event of fire, wear self-contained breathing

apparatus. Use personal protective equipment.

**Section 6: Accidental Release Measures** 

**Personal precautions** Remove all sources of ignition

Protective equipment and

**emergency procedures**Use personal protective equipment.

Follow safe handling advice and PPE

recommendations.

**Environmental precautions**: Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

## Methods, materials for containment, cleaning up:

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray jet.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable a absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## **Section 7: Handling and Storage**

**Technical measures:** See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

**Local/Total ventilation**: Use with local exhaust ventilation. Use only in an area

equipped with explosion proof exhaust ventilation.

**Advice on safe handling**: Do not breathe vapors or spray mist.

Do not swallow.

Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

**Conditions for safe storage:** 

Keep in properly labeled containers. Keep tightly closed.

Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Materials to avoid

Do not store with the following product types:

Strong oxidizing agents

Organic peroxides

Flammable solids

Pyrophoric liquids

Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit flammable gases

**Explosives** 

Gases

## Section 8: Exposure Controls/Personal Protection

## Ingredients with workplace control parameters

Ingredients	Cas No	Value Type	Control	Basis
			parameters/	
			Permissible	
			concentration	
Ethanol	64-17-5	TWA	1,000 ppm	NIOSH REL
			1,900mg/m3	

Engineering measures Minimize workplace exposure concentrations

Use only in an area equipped with explosionproof exhaust ventilation

Use with local exhaust

## Personal protective equipment

Respiratory protection: General and local exhaust ventilation is recommended

to maintain vapor exposures below recommended limits. Where concentrations are above recommended

limits or are unknown, appropriate respiratory

protection should be worn.

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to

any hazardous chemical is limited. Use a positive

pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown,

or any other circumstance where air purifying respirators may not provide adequate protection.

#### Hand protection

Material: Impervious gloves

Material: Flame retardant gloves

Remarks: Choose gloves to protect hands against chemicals

depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Eye protection: Wear the following personal protective equipment:

Safety goggles

Skin and body protection: Select appropriate protective clothing based on

chemical resistance data and an assessment of the local

exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons,

boots, etc.).

Hygiene measures: Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing

before re-us

## **Section 9: Physical and Chemical Properties**

## 9.1 Information on Physical and Chemical Properties

## **Material Description**

<b>Physical Form</b>	Gel/Liquid	Appearance/Description	
Color	Clear	Odor	Characteristic
			Alcohol odor
Taste	Data Not Available	Particulate Type	Data Not Available
Particulate Size	Data Not Available	Aerosol Type	Data Not Available
Odor Threshold	Data Not Available	Physical and Chemical	Gel
		Properties	
General	Data Not Available		Data Not Available
Properties			
<b>Boiling Point</b>	Data Not Available	Melting Point	Data Not Available
Decomposition	Data Not Available	Heat of Decomposition	Data Not Available
Temperature			
рН	Range	Specific	0.89 g/ml
	7.0 - 7.5	Gravity/Relative	
		Density	
Density	Data Not Available	Bulk Density	Data Not Available
Water Solubility	Data Not Available	Solvent Solubility	Data Not Available

Viscosity	liquid	Explosive Properties	Data Not Available
Oxidizing	Data Not Available		Data Not Available
Properties			
Volatility	Data Not Available		Data Not Available
Vapor Pressure	Data Not Available	Vapor Density	Data Not Available
Evaporation	Data Not Available	VOC (Wt.)	Data Not Available
Rate			
VOC (Vol.)	Data Not Available	Volatiles (Wt.)	Data Not Available
Volatiles (Vol.)	Data Not Available		
Flammability	Data Not Available		
Flash Point	Data Not Available	UEL	Data Not Available
LEL	Data Not Available	Auto ignition	Data Not Available
Self-Accelerating	Data Not Available	Heat of Combustion	Data Not Available
Decomposition			
Temperature			
(SADT)			
Burning Time	Data Not Available	Flame Duration	Data Not Available
Flame Height	Data Not Available	Flame Extension	Data Not Available
Ignition Distance	Data Not Available	Flammability (solid, gas)	Data Not Available
Environment	Data Not Available		
Half-Life	Data Not Available	Octanol/Water Partition	Data Not Available
		coefficient	
Coefficient of	Data Not Available	<b>Bioaccumulation Factor</b>	Data Not Available
water/oil			
distribution			
Bioconcentration	Data Not Available	Biochemical Oxygen	Data Not Available
Factor		Demand BOD/BOD5	
Chemical Oxygen	Data Not Available	Persistence	Data Not Available
Demand			
Degradation	Data Not Available		

**Section 10: Stability and Reactivity** 

**Reactivity:** 

**Chemical stability:** 

Conditions to avoid

**Incompatible materials** 

Hazardous decomposition products

Possibility of hazardous reactions:

Not classified as a reactivity hazard.

Stable under normal conditions

Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong

oxidizing agents.

Heat, flames and sparks.

Oxidizing agents

No hazardous decomposition products are

known.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes

Inhalation

**Skin Contact** 

Ingestion

**Eye Contact** 

## **Acute Toxicity**

Not classified based on available information

#### **Product**

Acute oral toxicity Acute toxicity estimate: > 5,000 mg/kg Method:

Calculation menthol

**Ingredients:** 

Ethanol:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat): 124.7 mg/l

Exposure time: 4 h

Test atmosphere: vapor

## Skin corrosion/irritation

Not classified based on available information.

Causes serious eye irritation.	
Ingredients:	
Species:	Rabbit
Result	Irritation to eyes reversed 21 days
Method	OECD Test Guideline 405
Respiratory or skin sensitization	
Skin sensitization: Not classified based on available info	rmation. Respiratory sensitization: Not classified
Product:	Product does not cause skin sensitization
Ingredients:	
Ethanol:	
Test Type:	Local lymph node assay (LLNA)
Routes of exposure:	Skin contact
Species: Mouse Result:	negative
Germ cell mutagenicity	Not classified based on available information
Ingredients:	
Ethanol:	
Genotoxicity in vitro	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
Carcinogenicity	
Not classified based on available information	
Reproductive toxicity	
Not classified based on available information	

Serious eye damage/eye irritation

## **Ingredients:**

Ethanol

Effects on fertility Test Type: Two-generation reproduction toxicity

study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

STOT-single exposure Not classified based on

available information

## Repeated dose toxicity

Ethanol

: Ethanol: Species:

Rat NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

## **Aspiration toxicity**

Not classified based on available information.

## **SECTION 12. Ecological Information**

## Ingredients:

Ethanol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and

other aquatic invertebrates EC50 (Daphnia magna (Water flea)): > 1,000 mg/l E

Exposure time: 48 h

Toxicity to algae EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h Method: OECD Test Guideline 201

Toxicity to daphnia and other NOEC (Daphnia magna (Water flea)): 9.6 mg/l

aquatic invertebrates (Chronic toxicity) Exposure time: 9 d

Persistence and degradability

Ethanol:

Biodegradability Result: Readily biodegradable.

Biodegradation: 84 %

Exposure time: 20 d

## **SECTION 13. Disposal Considerations**

Disposal methods Waste from residues: Dispose of in accordance with local regulations.

Contaminated packaging: Dispose of as unused product.

## **SECTION 14 Transportation Information**

**Domestic regulation 49 CFR** 

PHMSA Covid -19 Guidelines

UN/ID/NA number: UN 1987

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: II

Freight Class: 85

NMFC - 44500-3

Label: 3

FLAMMABLE LIQUID

ERG Code: 127

#### Marine Pollutant No

## **International Regulation**

	N I	RT	D	
u	IV	ĸі	IJ	l٦

UN number: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: II

Label: 3

#### **IATA-DGR**

UN/ID No.: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: III

Label: 3

Flammable Liquids

Packing instruction (cargo aircraft): 366

Packing instruction (passenger aircraft): 355

## **IMDG-Code**

UN number: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: II

Label: 3

Ems Code: F-E, S-D

## **SECTION 15. Regulatory Information**

## **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards Fire Hazard

Acute Health Hazard

SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

**SARA 313** The following components are subject to reporting levels

established by SARA Title III, Section 313:

**US State Regulations** 

Pennsylvania Right to Know Ethanol 75-79% 64-17-5

New Jersey Right to Know Ethanol 75-79% 64-17-5

## **California Prop 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### **Inventories**

The ingredients of this product are reported in the following inventories:

AICS: All ingredients listed or exempt

#### **SECTION 16 Other Information**

## Last Revision Date 05/15/2020

## Preparation Date 05/08/2020

**Disclaimer/Statement of Liability** The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstance of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for Injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be direct to the manufacturer of the product as described in

#### **Further information**

Section 1

# NFPA: Flammability

Special hazard.

## HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

- 0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

Sources of key data used to compile the Material Safety

Data Sheet

 Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/